GAZETTEER OF POCAHONTAS COUNTY.

By R. C. Tucker, Assistant Geologist.

The following is an alphabetic list of the place names shown on Maps I and II accompanying this Report in the Atlas. All names occurring in Pocahontas County are listed as also those in the immediate region of the adjoining counties, but those located several miles from the Pocahontas boundary are not indexed, since several of these will be eliminated on Map II by the cross-sections printed thereon. In the case of streams, the distance (air-line) given from the town named is to the mouth and not the point on the map

where the name is printed. Where the mouth of a stream is not in Pocahontas County, the point where it crosses the county line is given. The elevations of the towns and the highest points on the mountains are shown in parentheses following the place name. A plus (+) sign indicates that the elevation is higher than the figure shown but less than one contour interval (50 feet). A plus-minus (±) sign indicates that the elevation has been interpolated from the topographic contours and may be in error a few feet either way. The list will no doubt prove of value to those unfamiliar with Pocahontas County and will facilitate the ready finding of the points named in the text and appendix showing levels immediately preceding:

Abe Run (of East Fork of Greenbrier River, 5.3 miles northeast of Thornwood P. O.).

Allegheny Mountain (4587') eastern boundary, along Bath and Highland Counties, Virginia).

Allegheny Run (of Greenbrier River, at Hosterman, 5.1 miles

northeast of Cass).

Allegheny School (3649') (in Virginia, at head of Buffalo Fork of Little River of East Fork of Greenbrier River, 5.0 miles southeast of Thornwood, P. O.).

Anthony Creek (southeast corner of county, 2.5 miles west of

Greenbrier County corner with Bath Co., Va., at Hightop).

Arbovale (2727') (on Hospital Run of Deer Creek, 1.5 miles northeast of Green Bank).

Asbury Knob (3304') (4.0 miles northeast of Dunmore, 1.4 miles south of Green Bank).

August (2165') (on Greenbrier River, opposite Lewis Lick Run, 3.0 miles northeast of Marlinton).

Back Allegheny Mountain (4842') (west of Greenbrier River, 3.0 miles west of Cass, and northward 15 miles).

Back Draft (of Rosen Run, 4.9 miles northeast of Dunmore, 0.8 mile southeast of Green Bank).

Bald Knob (4400'+) (3.4 miles northwest of Buckeye).

Bald Knob (fire tower, 4842'; triangulation point, 4808') (on Back Allegheny Mountain, 3.5 miles north of Cass).

Bannock Shoals Run (of Williams River, 2.4 miles southeast of

Webster County line).

Barclay Run (of Knapp Creek, 0.7 mile northwest of Minnehaha Springs).

Barlow Top (4600') (knob on Black Mountain, 7.0 miles west of Marlinton.

Bartow (2782') (on West Fork of Greenbrier River, 2.3 miles east of Durbin).

Bath County (Virginia, south of Highland County, to Greenbrier County line).

Bayard Knob (4155') (on Randolph County line, 12.0 miles northeast of Durbin).

Bear Mountain (4467') (on Allegheny Mountain, 8.2 miles northeast of Green Bank, on Virginia line).

Bear Run (of North Fork of Cherry River, 0.3 mile west of Greenbrier County line).

Beard (2010') (2.3 miles north of Greenbrier County line, on

Greenbrier River).

Bearpen Hollow (of Sutton Run of North Fork of Deer Creek, 4.1 miles east of Green Bank).

Beartree Run (of Thorny Creek, 0,9 mile up, 1.4 miles east of

August).

Bearwallow Run (of East Fork of Greenbrier River, 3.5 miles northeast of Thornwood P. O.).

Beaver Creek (of Greenbrier River, at Violet, 91/2 miles north of

Greenbrier County line).

Beaver Creek (of Shavers Fork of Cheat River, 1 mile north of Pocahontas County line, 5.2 miles west of Nottingham P. O.).

Beaver Creek School (2428') (4.0 miles southeast of Violet, on

Beaver Creek).

Beaver Lick Mountain (3662', White Rocks) (southeastern part of county, 8.0 miles west of Virginia line, 7.0 miles east of Greenbrier River).

Beaverdam Run (of Williams River, 11.2 miles southeast of Webster County line).

Beaverdam School (3540'±) (5.0 miles west of Marlinton, on

Beaverdam Run).

Beech Flat Knob (4700'+) (in Randolph County, west of Shavers Fork of Cheat River, 2.7 miles north of Spruce).

Beech Mountain (4050'+) (northeast corner of county 11.0 miles

northeast of Durbin).

Beechy Run (of Middle Fork of Williams River, 2.5 miles up).

Bennett Run (of East Fork of Greenbrier River, 12.0 miles northeast of Durbin).

Bethel School (2750'±) (4.0 miles southwest of Frost, 4.4 miles east of Clawson).

Beulah Church (2350'±) (at mouth of Boggs Run of Robbins Run, 4.0 miles southwest of Lobelia, in Greenbrier County).

Big Ridge (3407') (east of head of Gum Branch of Sitlington Creek,

3.0 miles northeast of Dunmore).

Big Ridge (3000'-3250') (north of Beartree Run, 5.0 miles northeast of Marlinton).

Big Ridge (3200'+) (west of Knapp Creek and Mt. Vernon Church, 8.0 miles northeast of Minnehaha Springs).

Big Run (of Buffalo Fork of Little River of East Fork of Greenbrier River, 3.2 miles southeast of Thornwood P. O.).

Big Run (of Elk River, 2.0 miles south of Randolph County line, 2.1 miles north of Slaty Fork).

Big Run (of Greenbrier River, 1.4 miles northeast of Clover Lick). Big Run (town) (2249') (on Greenbrier River, 7.5 miles northeast of Marlinton).

Big Sandy Run (of Cochran Creek, 1 mile southwest of Rimel).

Big Spring Fork (of Elk River, at Slaty Fork).

Big Spruce Knob (4695') (6.6 miles northwest of Marlinton).

Birchlog Run (of Cranberry River, 0.8 mile northeast of Webster County line, 10.2 miles northwest of Lobelia).

Bird Run (of Knapp Creek, 1.6 miles east of Frost, 10.7 miles

northeast of Minnehaha Springs).

Black Mountain (4625') (west of head of Williams River).

Black Mountain Run (of Williams River, 9.0 miles southeast of Webster County line, 7.5 miles northwest of Marlinton).

Black Run (of North Fork of Deer Creek, 5.2 miles east of Green

Bank).

Black Run (of Shavers Fork of Cheat River, 1.0 mile south of Spruce).

Black Run (of Shavers Fork of Cheat River, 1.5 miles north of

Hopkins).

Blackhole Run (of Elk River, 0.5 mile south of Randolph County

line, 5.1 miles west of Mace). Blister Swamp (3637') (head of East Fork of Greenbrier River,

12.7 miles northeast of Durbin).

Blue Knob (4426') (3.2 miles northeast of Lobelia, head of Bruffey

Blue Lick Run (of Stamping Creek, 2.1 miles northwest of Mill

Point).

Blue Lick School (2550'±) (on Stamping Creek, 3.0 miles northwest of Mill Point).

Boggs Run (of Robbins Run, 4.2 miles southwest of Lobella). Boggs Run School (2707') (on Boggs Run, 3.0 miles southwest of Lobelia).

Bowman Ridge (3387') (west of Greenbrier River, 2.5 miles south-

west of Nottingham P. O.).

Boyer (2700'±) (on Deer Creek, 4.0 miles north of Arbovale). Boyer Station (Nottingham P. O.) (2662') (on Greenbrier River, 2.5 miles southwest of Durbin).

Brady School (2700'±) (on Dry Fork of Elk River, 3.9 miles west

of Mace).

Braucher (2880'±) (on West Fork of Greenbrier River, 3.8 miles north of Durbin).

Briery Knob (4518') (3.0 miles northwest of Lobella, on Yew

Mountains). Browns Creek (of Knapp Creek, 4.5 miles southeast of Marlinton, north of Huntersville).

Browns Creek School (2315'±) (on Browns Creek of Knapp

Creek, 2.5 miles northeast of Huntersville).

Browns Mountain (3245', The Horse Ridge) (east of Browns Creek and west of Knapp Creek, 2.5 miles north of Minnehaha Springs).

Brownsburg (2621') (2.2 miles northwest of August, 3.0 miles

northeast of Marlinton).

Bruffey Creek (of Hills Creek, 0.5 mile east of Lobella).

Brush Camp Low Place (4250'-) (head of Hig Run of Elk River, 2.5 miles southwest of Randolph corner on Elk River, 2.8 miles northwest of Slaty Fork).

Brush Lick Run (of Greenbrier River, 2.8 miles northeast of

Marlinton).

Brush Run (of Greenbrier River, 0.7 mile south of Nottingham P. O.).

Brush Run School (2850'±) (on Brush Run of Greenbrier River, 9.8 mile north of Boyer, 3.2 miles southeast of Nottingham P. O.).

Brushy Flat School (2560'±) (on Bideling Run, 1.5 miles northwest of August).

Brushy Mountain (3671') (range east of Beaver Lick Mountain, north end, 2.0 miles southwest of Minnehaha Springs).

Buck Knob (4250'+) (between Yew and Gauley Mountains, 4.5

miles southwest of Blaty Fork).

Buck Mountain (3118') (2.0 miles west of Marlinton),

Buck Run (of Shavers Fork of Cheat River, 0.4 mile north of Hopkins).

Buck Run (of Swago Creek, 0.9 mile north of Buckeye).

Buck Run School (2380' ±) (1.3 miles up Buck Run of Hwago Creek, 1% miles southwest of Marlinton).

Buckeye (2106') (on Greenbrier River, 3.5 miles southwest of Marlinton).

Buckley Mountain (3383') (west of Cummins Creek, 2 miles west of Huntersville).

Buffalo Fork (of Little River of East Fork of Greenbrier River, 1.3 miles southeast of Thornwood P. O.).

Buffalo Ridge (4400'+) (north of North Fork of Deer Creek, 4.5 miles northeast of Green Bank).

Buffalo Ridge School (4310'±) (on Buffalo Ridge, 4.6 miles northeast of Green Bank).

Buffalo Run (of Deer Creek, 1.9 miles north of Arbovale).

Burner (2917') on West Fork of Greenbrier River, at mouth of Little River, 5.0 miles north of Durbin).

Burner Mountain (4300'+) (between East and West Forks of Greenbrier River, southeast of Little River, northeast of Durbin to Blister Swamp region).

Burner Settlement (on Burner Mountain, 3.5 miles northeast of Durbin).

Burning Run (of East Fork of Greenbrier River, 6.1 miles northeast of Thornwood P. O.).

Burning School (3875'±) (on Burning Run, 7.1 miles northeast of Thornwood P. O.).

Burnsides (2026') (5.0 miles north of Greenbrier County line on Greenbrier River, 1 mile west of Kennison).

Burr (3000'±) (1/2 mile north of Greenbrier County line on Beaver Lick Mountain, 11.3 miles south of Marlinton).

Burr School (2603') (near head of Laurel Run of Greenbrier River, in Burr Valley, 5.5 miles east of Denmar).

Burr Valley (near head of Laurel Run of Greenbrier River, 5.0 miles east of Denmar).

Buzzard Hollow (of Knapp Creek, 1.7 miles southeast of Huntersville, 1.0 mile northwest of Minnehaha Springs).

Buzzard Ridge (4295') (north of Old Field Fork of Elk River, 7.0 miles west of Stony Bottom).

Caesar Mountain (3300'+) (2 miles northeast of Lobelia).

Caesar Mountain School (2994') (2 miles northeast of Lobelia, near sink of Cave Run).

Camp Hollow (of Douthat Creek of Knapp Creek, 0.5 mile south of Minnehaha Springs).

Campbell Run (of East Fork of Greenbrier River, 4.2 miles northeast of Thornwood P. O.).

Campbelltown (2150') (on Stony Creek, 9.5 mile up, and 1.3 miles north of Marlinton).

Cashcamp Run (of North Fork of Cranberry River, 1.5 miles up).

Cass (B. M. 2452'; 2441') (on Greenbrier River, 11.5 miles southwest of Durbin, and 15.3 miles northeast of Marlinton).

Cave Run (of Bruffey Creek, % mile northeast of Lobelia).

Charles Creek (of Cranberry River, 5.1 miles southeast of Webster County line, 5.1 miles north of Lobelia).

Charley Ridge (3100'+) (west of Gum Branch of Sitlington Creek, 1.8 miles northeast of Dunmore).

Chest Mountain (4839', Thorny Flat) (west of Shavers Fork, 4.5 miles northwest of Cass).

Cherry Grove School (3101') (1.3 miles west of Nottingham P. O.). Cherry River (See North and South Forks).

Chestnut Flats (3581') (2.1 miles northwest of Lobella).

Chestnut Levels (3678') (on Bath County, Va., line, 12.0 miles

Chestnut Ridge (4000'-4400') (south of Galfred Run, 6.00 miles east of Dunmore).

Chicken House Run (of Greenbrier River, 6.4 mile south of Watoga, 8.1 miles north of Greenbrier County line).

Circle Mountain School (2807') (2.3 miles northwest of Minnehaha Springs, on Miller Ridge).

Clawson (2183') (on Greenbrier River, 4.7 miles northeast of Marlinton).

Cloverfield Hollow (of Knapp Creek, 4.8 miles northeast of Minnehaha Springs).

Clover Lick (town) (2289') (on Greenbrier River, 10.3 miles northeast of Marlinton, at mouth of Cloverlick Creek).

Cloverlick Creek (of Greenbrier River, at Clover Lick, 2.2 miles south of Stony Bottom).

Cloverlick Mountain (4280') (south of Cloverlick Creek, 3.8 miles west of Clover Lick, 7.5 miles northeast of Marlinton).

Clubbouse Run (of Little River of West Fork of Greenbrier River, 7.3 miles northeast of Durbin, 2.9 miles southeast of May).

Coal Run (of Middle Fork of Williams River, 5.5 miles up).

Cochran Creek (of Laurel Creek of Knapp Creek, 0.2 mile west of Rimel, 3.2 miles southeast of Minnehaha Springs).

Colaw Knob (4218') (on Poca Ridge, 4.8 miles northeast of Thornwood P. O., 1.3 miles northwest of Pendleton-Highland County corner).

Cold Run (of Greenbrier River, 0.4 mile south of Cass).

Cold Run School (2775'±) (1.1 miles up Cold Run, 1.3 miles west of Cass).

Cooper Run (of Rosen Run, 11/4 miles southeast of Green Bank).

County Line Branch (of Williams River, at Webster County line,
8.4 miles southeast of Slaty Fork).

Cove Hill School (2650'±) (on Sugarcamp Run, 0.9 mile north of Frost).

Cranberry Glades (3400') (on Cranberry River, 5.0 miles southeast of Webster County line, 9.5 miles west of Marlinton).

Cranberry Mountain (4300'+) (between Cranberry River and Stamping Creek, 4.5 miles northwest of Mill Point).

Cranberry River (west end of county, 15.0 miles northwest of Marlinton).

Crooked Fork (of Old Field Fork of Elk River, 7.0 miles north of Marlinton).

Crooked Fork School (3090'±) (on Old Field Fork of Elk River, 7.0 miles north of Marlinton, opposite mouth of Crooked Fork).

Cub Ridge (3900'-4200') (head of North Fork of Gauley River, 3.0 miles west of Slaty Fork).

Cummins Creek (of Knapp Creek, north of Huntersville, 4.6 miles southeast of Marlinton).

Cummins Creek School (2519') (near head of Cummins Creek, 3.0 miles southwest of Huntersville).

Cup Run (of Big Spring Fork of Elk River, 6.3 miles northwest of

Cup Run (of Greenbrier River, 2.1 miles northeast of Cass).

Day Mountain (4250'+) (3.6 miles northwest of Marlinton).

Day Run (of Williams River, 6.8 miles southeast of Webster County line, 7.8 miles northwest of Marlinton).

Dean Hollow (of Hills Creek, 1 mile northwest of Lobelia). Deer Creek (of Greenbrier River, 0.5 mile south of Cass).

Deer Creek (town) (2416') (on Greenbrier River, 1 mile south of Cass).

Deever Run (of Greenbrier River, 1.9 miles northeast of Cass).

Denmar (2023') (on Greenbrier River, 3.0 miles north of Greenbrier County line, 12 miles southwest of Marlinton).

Devils Garden (2900'+) (on Douthat Creek, 4.0 miles southwest of Minnehaha Springs).

Dilleys Mill (2575'±) (on Thorny Creek, 4.5 miles up, and 8.6 miles northeast of Marlinton).

Dogway (3101') (on Dogway Fork of Cranberry River, 1.4 miles from mouth, in Webster County)

Dogway Fork (of Cranberry River, 1.3 miles west of Webster County line).

Douglas Fork (of Dry Fork of Elk River, 3.4 miles west of Mace).

Douthat Creek (of Laurel Creek of Knapp Creek, 1.2 miles south
of Minnehaha Springs).

Douthat Creek School (2440'±) (on Douthat Creek, 2.5 miles southwest of Minnehaha Springs)

Downy Run (of Williams River, 11.4 miles southeast of Webster County line, 5.7 miles west of Marlinton).

Droop Mountain (3580') (1.7 miles west of Spice Run-Locust P. O., west of Greenbrier River, 3.7 miles west of Denmar).

Droop Mountain Battlefield Park (3050'±) (at Spice, on Droop Mountain, 2.5 miles west of Mill Run).

Dry Creek (of Stony Creek, 2.0 miles north of Marlinton). Dry Creek (of Swago Creek, 1 mile north of Buckeye).

Dry Creek School (2200'+) (on Dry Creek of Swago Creek, 1.1 miles north of Buckeye).

Dry Fork (of Elk River, 5.0 miles northwest of Mace, and 4.0 miles north of Slaty Fork).

Dry Run (of Anthony Creek, mouth in Greenbrier County 0.5 mile south of Pocahontas line).

Duncan Run (of Deer Creek, 1.1 miles north of Arbovale).

Dunmore (2463') (on Sitlington Creek, 2.5 miles east of Sitlington).

Durbin (B. M. 2730; 2721') at junction of East and West Forks
of Greenbrier River, 11.5 miles northeast of Cass).

Duysard Ridge (3340') (west side of Greenbrier River, 4.0 miles northeast of Cass).

Eagles Camp (3300') (on North Fork of Cherry River, 0.3 mile east of Greenbrier County line, 5.3 miles northwest of Lobelia).

Eagles School (2700'±) (on Hills Creek, 2.1 miles northwest of Lobelia).

East Fork (of Glady Fork, north of Randolph County line, 2.2 miles northeast of Wildell).

East Fork (of Greenbrier River) (at Durbin).

Edray (2409') (on Indian Draft of Stony Creek, 3.5 miles north of Marlinton).

Edray District (northwest part of county).

Elbow Run (of Williams River, 3.5 miles northeast of Three Forks of Williams).

Elk Creek (of Greenbrier River, 0.5 mile north of Nottingham P. O.).

Elk Mountain (4250'+) (on Virginia line, 7.5 miles northeast of Thornwood P. O.).

Elk Mountain School (3865' \pm) (in Virginia, 7.2 miles northeast of Thornwood P. O.).

Elk River (crosses county line 5 miles northwest of Mace, and 4 miles north of Slaty Fork).

Eiklick Run (of Clubhouse Run of Little River of West Fork of Greenbrier River, 7.5 miles northeast of Durbin).

Elklick Run (of Greenbrier River, 0.2 mile southwest of Stony Bottom).

Elklick Run (of West Fork of Greenbrier River, 9.0 miles north of Durbin).

Elleber Ridge (4602') (spur of Allegheny Mountain, at head of a southeast branch of North Fork of Deer Creek, 6.0 miles east of Green Bank).

Elleber Run (of North Fork of Deer Creek, 7.0 miles northeast of Green Bank).

Evic Hollow (of Knapp Creek, 4.3 miles northeast of Minnehaha Springs).

Fairview School (2725'±) (0.6 mile west of Harter, 5.6 miles

northeast of Marlinton).

Fallen Timber Run (of Anthony Creek, in Greenbrier County,

2.0 miles southwest of Pocahontas line).

Fallen Timber Run (of North Fork of Cherry River, 1.6 miles southwest of Webster-Greenbrier County corner).

Falls of Hills Creek (on Hills Creek, 3.7 miles northwest of Lobelia).

Fill Run (of West Fork of Greenbrier River, 2.5 miles north of

Durbin). Fill Run School (3225'±) (on Fill Run, 1 mile west of mouth, 2.4

miles northwest of Durbin).

First Fork (of Shavers Fork of Cheat River, 4.3 miles southwest of Durbin).

Fitzwater Branch (of Robbins Run, 0.1 mile north of southwest Greenbrier-Pocahontas corner, 4.0 miles southwest of Lobelia).

Fivemile Hollow (of East Fork of Greenbrier River, 1.8 miles northeast of Thornwood P. O.).

Flat Ridge (4200'+) (spur of Gauley Mountain, 1.5 miles south-

west of Slaty Fork).

Fork Mountain (4218') (northeast of Buffalo Fork, 1.7 miles east of Thornwood P. O.).

Fox Run (of West Fork of Greenbrier River, 10.3 miles north of Durbin).

Frank (2736') (on East Fork of Greenbrier River, 1 mile east of Durbin).

Frank Mountain (3907') (west of Little River of East Fork of Greenbrier River, 5.8 miles east of Nottingham P. O.).

Friel Run (of Laurel Creek of Williams River, 6.8 miles northwest of Marlinton).

Frost (2589') (on Knapp Creek, 9.6 miles northeast of Minnehaha

Springs).

Frosty Gap (4000'+) (at head of Dogway Fork of Cranberry River, 2.0 miles southeast of Webster-Greenbrier-Pocahontas County corner, 6.0 miles northwest of Lobelia).

Galford Run (of Williams River, 6.6 miles southeast of Webster

County line, 8 miles northwest of Marlinton).

Galfred Ridge (3238') (west side of Greenbrier River, 3.2 miles northeast of Cass).

Galfred Run (of Sitlington Creek, 5.0 miles northeast of Dun-

Gandy Creek (northeast corner of county, in Randolph County, 8.0 miles southeast of Wildell).

Gate Hollow (of Knapp Creek, 5.2 miles northeast of Minnehaha Springs).

Gauley Mountain (4710', Spruce Knob), (west of Elk River, 2.0 miles west of Slaty Fork, about 12 miles long).

Gauley River (at Three Forks of Gauley, 6.0 miles west of Slaty

Gay Knob (4545') (6.5 miles north of Marlinton, 5.7 miles west of Clover Lick).

Gertrude (2990'±) (on West Fork of Greenbrier River, at mouth of Gertrude Run, 9.0 miles north of Durbin).

Gertrude Run (of West Fork of Greenbrier River, 8.9 miles north of Durbin).

Gibson Knob (4415') (7.6 miles southwest of Cass, southeast end of Slaty Ridge, 5.7 miles northwest of Clover Lick).

Glade Run (of Cloverlick Creek, at Clover Lick, 10.3 miles northeast of Marlinton).

Grassy Knob (3910') (on Little Ridge, 4.2 miles southeast of Thornwood P. O.).

Grassy Ridge School (3100'±) (in Burner Settlement, 3.3 miles northeast of Durbin).

Grassy Run (of Poca Run of East Fork of Greenbrier River, 2.5 miles northeast of Thornwood P. O.).

Green Bank (P. O.) (2640'±) (on North Fork of Deer Creek, 5.0 miles northeast of Cass).

Greenbank District (northeastern part of county).

Greenbrier River (formed by junction of East and West Forks at Durbin, flowing southwestward through central part of county, crossing Greenbrier County line 0.6 mile south of Spice Run-Locust

Green Hill School (2475'±) (on Stony Creek, 1.6 miles up. 2.0 miles north of Marlinton).

Griffin Run (of North Fork of Deer Creek, 7.0 miles northeast of Green Bank).

Grimes School (2460'±) (on Tilda Fork of Stamping Creek, 1.5 miles northwest of Mill Point).

Grindstone Knob (3200'+) (on Browns Mountain, 4.6 miles northeast of Minnehaha Springs).

Guinn Ridge (4000'-4500') (at head of Galfred Run of Sitlington Creek, between forks, 7.0 miles east of Dunmore).

Gum Branch (of Sitlington Creek, 0.8 mile east of Dunmore).

Gum Cabin Hollow (of East Fork of Greenbrier River, 1.1. miles northeast of Thornwood P. O.).

Gum Spring School (2690'±) (on Gum Branch of Sitlington Creek, 2.4 miles northeast of Dunmore).

Guy Run (of Knapp Creek, 5.2 miles northeast of Minnehaha Springs).

Halfway Run (of Greenbrier River, at Knapp, 2.6 miles northeast of Marlinton).

Hamilton Hollow (of Knapp Creek, 3.9 miles northeast of Minnehaha Springs).

Hamilton Hollow (of North Fork of Deer Creek, 3.2 miles east of Green Bank).

Hamilton Lick Run (of Anthony Creek, 1.3 miles northeast of Greenbrier County line, 4.2 miles southwest of Rimel).

Hannah School (2845'±) (on Old Field Fork of Elk River, 8.7 miles west of Stony Bottom).

Harter (2211') (on Greenbrier River, 5.0 miles northeast of Marlinton).

Hateful Run (of Williams River, 1.8 miles southeast of Webster County line, 8.2 miles southwest of Slaty Fork).

Hawohen Hollow (of East Fork of Greenbrier River, 3.8 miles east of Durbin).

Hefner School (2675'±) (on Overholt Run of Swago Creek, 2.4 miles northwest of Buckeye).

Hell for Certain Branch (of Middle Fork of Williams River, 4.0 miles up, 12.5 miles southwest of Slaty Fork). Hevener Church (3025'±) (2.3 miles southwest of Nottingham

P. O. near head of Allegheny Run),

High Rock (4450') (on Black Mountain, 4.1 miles northwest of Buckeye).

Highland County (Virginia, north of Bath County, to Pendleton County)

Hightop (3645') (0.4 mile north of southeast Pocahontas-Greenbrier corner, on Virginia line).

Hills Creek (sinks northwest of Droop Mountain, 1.3 miles southeast of Lobelia).

Hillsboro (2302') (2.0 miles west of Seebert, 2.0 miles north of Burnsides).

Hillside School (2550') (on Gum Branch of Sitlington Creek, 1.4 miles southeast of Dunmore)

Hinkle Run (of Little River of West Fork of Greenbrier River, 9.0 miles northeast of Durbin).

Hock Knob (3950'+) (2.0 miles southwest of Lobelia). Hoover School (3207') (1.5 miles west of Durbin).

Hopkins (3683') (Randolph County, 6.5 miles west of Durbin, on Shavers Fork of Cheat River).

Hospital Run (of Deer Creek, 0.9 mile northwest of Arbovale). Hosterman (2582') (on Greenbrier River, 6.2 miles northeast of

Huntersville (2266') (on Knapp Creek, at mouths of Browns and Cummins Creeks, 5.0 miles southeast of Marlinton). Huntersville District (southeastern part of county).

Hunting Run (of North Fork of Cranberry River, 1.2 miles up). Improvement Lick Run (of Greenbrier River, 4.7 miles southwest of Marlinton).

Indian Draft (of Stony Creek, 1.2 miles north of Marlinton). Irvin Hollow (of Knapp Creek, 3.7 miles northeast of Minnehaha Springs).

Island Lick Run (of Greenbrier River, 1 mile northeast of Ken-

Jacox (2627') (3.0 miles south of Lobelia, 5.2 miles west of Denmar).

Jacox Knob (4046') (2.3 miles southwest of Lobelia).

Jakes Run (of Sitlington Creek, 2.8 miles east of Dunmore).

Jericho Flat (2500'+) (opposite Marlinton, west of Greenbrier River).

Johns Run (of East Fork of Greenbrier River, 1.4 miles east of Durbin).

Kee Flats (2450'-2500') (west of Greenbrier River, 2.0 miles southwest of Marlinton).

Kee Hollow (of Greenbrier River, opposite south end of Marlinton).

Kennison (2036') (5.3 miles northeast of Greenbrier County line, on Greenbrier River, 9.5 miles southwest of Marlinton).

Kennison Mountain (3750'+) (southwest corner of county, 3 miles southwest of Lobelia).

Kennison Mountain (4450'+) (west of Cranberry Glades, 11 miles, west of Marlinton).

Kerr School (2800'±) (on Saulsbury Run of Deer Creek, 3.2 miles northeast of Arbovale).

Kins Creek (of Williams River, 2.1 miles southeast of Webster County line, 8.2 miles southwest of Slaty Fork).

Kline Hellew (of Douthat Creek, 2.1 miles southwest of Minnehaha Springs).

Knapp (2155') (on Greenbrier River, at mouth of Halfway Run,

2.5 miles northeast of Marlinton).

Knapp Creek (of Greenbrier River, south end of Marlinton).

Lambs Run (of Duncan Run of Deer Creek, 1.7 miles northeast of Arbovale).

Laurel Creek (of Knapp Creek, Rimel region, mouth at Minnehaha Springs).

Laurel Creek (of Williams River, 5.6 miles southeast of Webster

County line, 8.3 miles southwest of Slaty Fork),

Laurel Run (of Anthony Creek, 0.4 mile north of Greenbrier County line).

Lauret Run (of Brush Run of Greenbrier River, 2.0 miles east of Nottingham P. O.).

Laurel Run (of Cochran Creek, 2.6 miles southwest of Rimel).

Laurel Run (of Elk River, at Slaty Fork, 4.0 miles south of Randolph County line).

Laurel Run (of Greenbrier River, 0.5 mile north of Denmar, 3.5

miles north of Greenbrier County line).

Laurel Run (of Greenbrier River, opposite Harter).

Laurel Run (of Greenbrier River, 0.4 mile north of Clover Liek).

Laurel Run (of Hills Creek, 2.3 miles northwest of Lobelia).

Laurelly Branch (of Middle Fork of Williams River, 3.1 miles up, 13 miles southwest of Slaty Fork).

Leatherbark Run (of Greenbrier River, at north edge of Cass). Left Fork (of North Fork of Cranberry River, 3.0 miles up, 9 miles north of Lobelia).

Left Prong (of Galfred Run of Sitlington Creek, 6.0 miles cast of

Dunmore).

Lewis Lick Run (of Greenbrier River, opposite August, 3.0 miles northeast of Marlinton).

Lick Creek (of Tea Creek, 6.7 miles southwest of Slaty Fork).

Lick Run (of Poca Run of East Fork of Greenbrier River, 2.9 miles northeast of Thornwood P. O.).

Linwood (2942') (on Big Spring Fork of Elk River, 7.0 miles north-

west of Cass).

Little Beech Mountain (3500'+) (north end of county, 2.5 miles northeast of Wildell).

Little Beechy Run (of Middle Fork of Williams River, 1.6 miles

up, 11.3 miles northwest of Woodrow).

Little Branch (of Cranberry River, 4.9 miles southeast of Webster County line, 10.5 miles west of Marlinton).

Little Laurel Creek (of Williams River, 5.4 miles southeast of

Webster County line, 9 miles northwest of Marlinton).

Little Levels (2300'+) (Hillsboro region, 3 miles, northeast-south-west).

Little Levels District (southwestern part of county).

Little Mountain (3425') (east side of Greenbrier River, from Cass to Nottingham P. O.).

Little Mountain (3100') (north of Rainbow Run of Browns Creek, 4.6 miles north of Minnehaha Springs).

Little Mountain (3450'+) (2.5 miles north of Hillsboro, south of Stamping Creek).

Little Red Run (of Cranberry River, 3.7 miles southeast of Web-

ster County line, 11.3 northwest of Marlinton).

Little Ridge (4530') (spur of Allegheny Mountain, between Tacker Fork and Sutton Run of North Fork of Deer Creek, 5.0 miles east of Green Bank).

Little River (of East Fork of Greenbrier River, at Thornwood P. O., 5.0 miles east of Durbin).

Little River (of West Fork of Greenbrier River, 5.1 miles north

of Durbin).

Little Spruce Knob (4260') (1.1 miles north of Big Spruce Knob, 7.2 miles northwest of Marlinton).

Little Spruce Ridge (3550'+) (east of Little River of East Fork of Greenbrier River, 3.0 miles southeast of Thornwood P. O.).

Little Thorny Creek (of Thorny Creek, 2.6 miles southeast of Big Run, 1.3 miles northeast of Dilleys Mill).

Lobelia (2505') (on Hills Creek, 4.5 miles northwest of Mill Run, 12% miles southwest of Marlinton).

Lockridge Mountain (3175') (1.5 miles east of Minnehaha Springs). Lockridge Run (of Laurel Creek of Knapp Creep, 3.0 miles east of Minnehaha Springs).

Locust (1998') (1.8 miles north of Greenbrier County line, on Greenbrier River, 13.6 miles southwest of Marlinton).

Locust Creek (of Greenbrier River, mouth at Locust, 1.7 miles north of Greenbrier County line).

Locust Creek Church (2100'±) (1.6 miles up Locust Creek, 2.0 miles west of Denmar).

Locust Creek School (2085'±) (2.6 miles up Locust Creek, 1.6 miles west of Mill Run).

Locust Knob (4310') (1.5 miles southeast of Big Spruce Knob, 5.1 miles northwest of Marlinton).

Locust P. O. (Spice Run) (1987') (0.5 mile north of Greenbrier County line, on Greenbrier River, 14.5 miles southwest of Marlinton). Long Run (of Poca Run of East Fork of Greenbrier River, 2.3

miles northeast of Thornwood P. O.).

Lost Bottom Run (of Cochran Creek, 2.0 miles southwest of Rimel). Lost Run (of Cranberry River, 3.0 miles southeast of Webster County line, 11.8 miles northwest of Marlinton).

Lower Bannock Shoals Run (of Williams River, 0.7 mile southeast of Webster County line, 8.2 miles southwest of Slaty Fork).

Lower Mountain (3033') (east of Moore Run of Sitlington Creek, 0.7 mile northeast of Dunmore).

Lucy Draft (of Knapp Creek, 1.7 miles northeast of Minnehaha Springs).

Lynn Divide (3965') (northern part of county on Randolph County line, 2.5 miles east of Wildell).

Lynn Knob (4015') (on Middle Mountain, 9.8 miles northeast of Durbin, 3.5 miles northeast of May).

McClintock Run (of Middle Fork of Williams River, 5.8 miles up, 11.7 miles northwest of Marlinton).

McClintock Run (of Swago Creek, 0.9 mile up, from Buckeye).

McLaughlin Church (2871'±) (on Cold Run of Greenbrier River, 1.3 miles west of Cass).

McLaughlin Hollow (of Moore Run of Knapp Creek, 7.8 miles northeast of Minnehaha Springs).

McLaughlin School (2490'±) (on Thomas Creek, 2.0 miles southeast of Sitlington).

McLaughlin Springs (2360'±) (on Dry Creek of Stony Creek, 3/4 mile southwest of Edray).

Mace (3464') (at Randolph-Pocahontas County corner at Edray-Greenbank District line, 7.5 miles northwest of Cass).

Mace Knob (4705') (on Cheat Mountain, 6.3 miles northeast of Cass).

Mace School (3260'±) (on head of Dry Fork of Elk River, 0.9 mile southeast of Mace).

Mad Sheep (4256') (Virginia, high point on Allegheny Mountain, 9.6 miles northeast of Minnehaha Springs).

Mad Sheep Ridge (3250'-3500') (north of Moore Run of Knapp Creek, 10 miles northeast of Minnehaha Springs).

Mad Tom (4050'+) (on Virginia line, 8.8 miles northeast of Minnehaha Springs).

Maple Grove School (2343') (0.3 mile west of Greenbrier River, 1.2 miles northwest of Spice Run-Locust P. O.).

Marble Run (southeast of Little Mountain, sinks 1.7 miles north-

east of Hillsboro, 1.4 miles west of Mill Point).

Marlin Mountain (3422') (between Greenbrier River and Knapp and Browns Creeks, east of Marlinton).

Marlin Run (of Knapp Creek, 0.5 mile east of mouth, eastern

part of Marlinton).

Marlinton (county-seat) (2123') (14.5 miles north of Greenbrier County line, at mouth of Knapp Creek, 15.3 miles southwest of Cass).

Marys Chapel (2950') (on Old Field Fork of Elk River, 7.6 miles west of Stony Bottom).

Mash Run (of Knapp Creek, 6.2 miles northeast of Minnehaha Springs).

May (2960') (on West Fork of Greenbrier River, 7.7 miles north of Durbin).

May Chapel (2255') (in Greenbrier County, 0.2 mile north of Trainer, on Anthony Creek, 2 miles southwest of Pocahontas County

Meadow Creek Mountain (3600'+) (southeast corner of county, southwest of Hightop, in Greenbrier County).

Michael Mountain (3652', fire tower) (2.0 miles northwest of Frost,

5.0 miles southeast of Clover Lick).

Middle Fork (of Gauley River, 5.2 miles southwest of Slaty Fork). Middle Fork (of Williams River, 1.4 miles east of Three Forks of Williams).

Middle Mountain (4415') (between Dry and Big Spring Forks of

Elk River, 3.0 miles southwest of Mace).

Middle Mountain (4015') (north of Little River of West Fork of Greenbrier River, 8 miles northeast of Durbin, 2 miles east of May).

Middle Mountain (3750'-4500') (south of North Fork of Gauley

River, 4.0 miles west of Slaty Fork).

Middle Mountain (3559') (southeastern part of county, northwest of Anthony Creek and east of North Fork of Anthony Creek and east of Douthat Creek, north end 1.4 miles west of Rimel).

Mikes Knob (4243') (0.4 mile southwest of Webster-Greenbrier County corner, in Greenbrier County, 7.4 miles northwest of Lobelia).

Mikes Run (of West Fork of Greenbrier River, 10.8 miles north of Durbin).

Mill Creek (of Old Field Fork of Elk River, 8.4 miles west of Stony Bottom).

Mill Point (2217') (1.3 miles up Stamping Creek, from Greenbrier River, 2 miles northeast of Hillsboro).

Mill Run (of Big Spring Fork of Elk River, 8.0 miles northwest of Cass).

Mill Run (of Greenbrier River, south of Kennison, 5.1 miles north of Greenbrier County line).

Mill Run (of Knapp Creek, 6.7 miles northeast of Minnehaha

Springs).

Mill Run (of Leatherbark Run, 0.9 mile north of Cass).

Mill Run (of West Fork of Greenbrier, River, at May, 7.7 miles north of Durbin).

Mili Run (of Williams River, 1.7 miles northeast of Three Forks of Williams).

Mill Run (town) (2029') 4.5 miles north of Greenbrier County line, on Greenbrier River, 10.8 miles southwest of Marlinton).

Miller Ridge (3200'+) (east of Browns Creek and west of Browns Mountain, 3.0 miles northeast of Minnehaha Springs).

Millstone Creek (2.0 miles northeast of Lobelia, sinks 1.8 miles northwest of Mill Run).

Millstone Run (of Riley Run of Deer Creek, 0.8 mile northeast

Mingo (2639') (on Tygart River, 3.0 miles northwest of Mace, in

Randolph County).

Mingo Knob (4150'+) (Randolph County, 3.5 miles northwest of

Mace).

Mingo Run (of Tygart River, at Upper Mingo, Randolph County, 2.7 miles northwest of Mace).

Minnehaha Springs (2330') (on Knapp Creek, at mouth of Laurel Creek, 2.6 miles southeast of Huntersville).

Moffett Knob (4170') (7.7 miles north of Marlinton, 5.6 miles west of Clover Lick).

Monday Lick Run (of Greenbrier River, 2.2 miles south of Marlinton).

Monongahela National Forest (northeastern portion of county, east of West Fork of Greenbrier River and north of East Fork of Greenbrier River).

Moore Run (of Knapp Creek, 7.5 miles northeast of Minnehaha Springs).

Moore Run (of Sitlington Creek, 2.6 miles east of Sitlington).

Moore School (2430') (on Knapp Creek, 6.0 miles northeast of Minnehaha Springs).

Moses Spring Run (of Greenbrier River, opposite Raywood, 2.0 miles south of Cass).

Mt. Carmel Church (2368') (on Knapp Creek, 3.4 miles northeast of Minnehaha Springs).

Mt. Hope Church (2629') (on Shock Run of Sitlington Creek, 2.2 miles southeast of Dunmore).

Mt. Lebanon Church (2750'±) (0.9 mile south of Lobelia, on Rush Run).

Mt. Pleasant School (2537') (on Indian Draft of Stony Creek, 4.0 miles north of Marlinton).

Mt. Pleasant School (2650'±) (on Shock Run of Sitlington Creek, 2.4 miles southeast of Dunmore).

Mt. Tabor School (2900'±) (on Browns Mountain, 4.9 miles northeast of Minnehaha Springs, 4.5 miles northeast of Huntersville).

Mt. Vernon Church (2499') (on Knapp Creek, 8.4 miles northeast of Minnehaha Springs).

Mt Zion Church (3105'±) (1.2 miles south of Spice, on Droop Mountain).

Mt. Zion School (3000'+) (5.5 miles east of Clawson, 5.2 miles southeast of Clover Lick).

Mountain Lick Creek (of West Fork of Greenbrier River, 1.4 miles north of Durbin).

Mountain Lick Run (of Williams River, 10.6 miles southeast of Webster County line, 5.7 miles west of Marlinton).

Mulberry Run (of Saulsbury Run of Deer Creek, 5.3 miles northeast of Arbovale).

Mullenax Run (of East Fork of Greenbrier River 5.3 miles northeast of Thornwood P. O.).

Narrow Branch (of Anthony Creek, mouth in Greenbrier County, 1 mile south of Pocahontas line, 1.1 miles northeast of Trainer).

Nazarene Church (3210') (on Laurel Creek of Williams River, 5.2 miles northwest of Marlinton).

New Pleasant Valley School (2955'±) (on Old Field Fork of Elk River, 7.1 miles west of Stony Bottom).

Newman Hollow (of Knapp Creek, 6.4 miles northeast of Minnehaha Springs).

Newroad Run (of Thorny Creek, 0.4 mile up, 0.9 mile east of

Nicholas Run (of Cochran Creek, 1.2 miles southwest of Rimel). Nida (2565') (on Greenbrier River, 5.2 miles northeast of Cass). Nigh Gap Run (of Oldham Run of Greenbrier River, 2.0 miles

north of Greenbrier County line, 0.6 miles east of Locust).

North Fork (of Anthony Creek, 6.5 miles west of Virginia State line at Hightop).

North Fork (of Cherry River, 2.3 miles south of Webster-Greenbrier County corner, 5.6 miles northwest of Lobelia).

North Fork (of Cranberry River, 1.9 miles east of Webster County line, 9 miles north of Lobelia).

North Fork (of Deer Creek, 0.5 mile up, 0.6 mile southwest of Green Bank).

North Fork (of Gauley River, 4.2 miles west of Slaty Fork).

North Fork School (2550'±) (on North Fork of Anthony Creek, 2.0 miles northeast of Greenbrier County line).

North Fork School (2900'±) (on North Fork of Deer Creek, 2.8 miles east of Green Bank).

Nottingham P. O. (Boyer Station) (2662') (on Greenbrier River, 2.5 miles southwest of Durbin).

Oak Grove School (2677') (2.2 miles southwest of Spice, 0.7 mile

northeast of Jacox, in southwestern part of county).

Oak Grove School (2800'±) (on Rosen Run of North Fork of Deer Creek, 4.4 miles northeast of Dunmore, 1.7 miles southeast of Green Bank).

Oak Hill School (3010') (on divide between Millstone and Trimble Runs, 3.0 miles northeast of Green Bank, 1.8 miles east of Arbovale).

Old Field Fork (of Elk River, at Slaty Fork, 11.7 miles west of

Old House Knob (3250'+) (west of Greenbrier River, 5.9 miles northeast of Cass, 0.6 mile west of Hosterman).

Old House Run (of Little River of East Fork of Greenbrier River,

2.5 miles south of Thornwood P. O.).

Oldham Run (of Greenbrier River, 1.6 miles north of Greenbrier County line, 0.5 mile east of Locust).

Olive (2785') (mouth of Mountain Lick Creek of West Fork of Greenbrier River, 1.4 miles north of Durbin).

Oliver School (2856') (head of a north branch of Leatherbark Run of Greenbrier River, 1.7 miles north of Cass).

Onoto (2450'±) (former location of post-office, 2351') (on Dry Creek of Stony Creek, 3.4 miles northwest of Marlinton).

Overholt Run (of Swago Creek, 1.8 miles northwest of Buckeye). Paddy Knob (4494') (on Allegheny Mountain, on Virginia State

line, 9.4 mile southwest of Highland-Bath County corner). Panther Run (of North Fork of Gauley River, 4.0 miles west of

Slaty Fork).

Perry Run (of Oldham Run, 2.7 miles northeast of Greenbrier County line on Greenbrier River, 0.6 mile southeast of Denmar).

Peters Mountain (3295') (between Sitlington and Deer Creeks, 1.8 miles southeast of Cass).

Pigeon Run (of Stony Creek, 4.8 miles northwest of Marlinton). Pine Grove School (2740'±) (on branch of Duncan Run of Deer Creek, 1.3 miles northeast of Arbovale).

Pine Grove School (2500') (on Stony Creek, at Onoto).

Pine Grove School (2260'±) (in Greenbrier County, on Anthony

Creek, 0.5 mile north of Trainer). Pleasant Grove School (2288') (1 mile northeast of Hillsboro). Pleasant Ridge School (2460'±) (on Brush Lick Run of Greenbrier

River, 0.7 mile northwest of August). Pleasant Valley (2950'-3000') (near head of Old Field Fork of

Elk River, 7.0 miles west of Stony Bottom).

Poages Chapel (2767') (on divide between Laurel Run and Clover-

lick Creek, 1.5 miles northwest of Big Run). Poca Ridge (4000'+) (east of East Fork of Greenbrier River, 4.0

miles northeast of Thornwood P. O.).

Poca Run (of East Fork of Greenbrier River, 2.3 miles northeast of Thornwood P. O.).

Point Mountain (4102') (1 mile west of Falls of Hills Creek, south

of North Fork of Cherry River).

Pond Ridge (3066') (between Laurel and Oldham Runs of Greenbrier River, east of Denmar).

Possum Hollow (of Knapp Creek, 1.5 miles southeast of Huntersville, and 1.2 miles northwest of Minnehaha Springs).

Price Run (of Greenbrier River, west of Marlinton).

Props Run (of Elk River, 3.6 miles south of Randolph County line, 0.5 mile north of Slaty Fork).

Pyle Mountain (3211') (west of Beaver Creek, 4.0 miles east of

Kennison).

Rainbow Run (of Browns Creek, 4.6 miles north of Minnehaha Springs, and 3.5 miles northeast of Huntersville).

Raintown (2650') (near head of Stamping Creek, 3.3 miles north-

west of Mill Point).

Rambottom Run (of East Fork of Greenbrier River, 0.7 mile northeast of Thornwood P. O.).

Ramshorn (4450') (spur of Allegheny Mountain, 8.0 miles north-

east of Dunmore).

Raywood (2380') (on Greenbrier River, 2.0 miles south of Cass). Red Lick Mountain (4690') (6.5 miles northwest of Marlinton, west of head of Old Field Fork of Elk River).

Red Run (of Cranberry River, 4.6 miles southeast of Webster

County line, 10.6 miles west of Marlinton).

Red Run (of Right Fork of Tea Creek, 10.5 miles northwest of Marlinton, 4.8 miles southwest of Slaty Fork).

Renicks Valley (2455') (1 mile south of county line in Greenbrier

County, 3.8 miles west of Spice Run-Locust P. O.).

Reservoir Hollow (of East Fork of Greenbrier River, at Thornwood P. O.).

Rich Patch Hollow (of Thomas Creek, 3.3 miles southeast of Clover Lick).

Rider Gap (2500'+) (on Allegheny Mountain, 0.5 mile east of Rimel, on Virginia State line).

Rider Run (of Cochran Creek, 0.7 mile from mouth, 0.8 mile southwest of Rimel).

Right Fork (of Leatherwood Creek of Elk River, 2.7 miles northwest of Slaty Fork).

Right Fork (of Tea Creek of Williams River, 5.4 miles southwest of Slaty Fork).

Riley Run (of Deer Creek, 1.0 mile northwest of Arbovale).

Rimel (2438') (at mouth of Cochran Creek, on Laurel Creek, near Virginia State line, 10½ miles southeast of Marlinton).

Rimel School (2450'±) (0.9 mile southwest of mouth of Cochran Creek, 1 mile southwest of Rimel).

Riverside School (2180') (0.4 mile northwest of Watoga, on west side of Greenbrier River).

Robbins Run (at southwestern corner of county, 4.0 miles southwest of Lobelia).

Rock Run (of Greenbrier River, 1 mile east of Kennison, 51/2 miles north of Greenbrier County line).

Rocklick Run (of Williams River, in Webster County, 0.6 mile west of Pocahontas County line, 9 miles southwest of Slaty Fork).

Rocky Knob (4446') (on Yew Mountains, 3.6 miles northwest of Lobelia)

Rocky Run (of Shavers Fork of Cheat River, 2.0 miles north of Spruce).

Rodgers Mountain (3895') (2.0 miles west of Buckeye).

Rosen Run (of North Fork of Deer Creek, 4.4 miles northeast of Dunmore, 0.5 mile southwest of Green Bank).

Rough Knob (3925') (1.4 miles southeast of Thornwood P. O.). Round Knob (3980') (west of Hinkle Run of Little River of West Fork of Greenbrier River, 8.0 miles northeast of Durbin).

Round Mountain (3200'+) (1.5 miles northwest of Lobelia).

Ruckman Run (of Knapp Creek, 2.7 miles northeast of Minnehaha Springs).

Ruckman School (2289') (on Stevens Hole Run of Greenbrier

River, 1.4 miles northwest of Violet).

Rush Run (south of Lobelia, sinks 0.9 mile northeast of Oak Grove School).

Sandy Ridge (3565') (east of Greenbrier River, 1.3 miles southeast of Durbin).

Saulsbury Run (of Deer Creek, 2.9 miles north of Arbovale).

Saulsbury Run School (2875'±) (4.7 miles northeast of Arbovale).

Second Fork (of Shavers Fork of Cheat River, 5.0 miles west of Nottingham P. O.).

Second Run (of Thorny Creek, 0.8 mile up, 1.3 miles east of Au-

gust).

See All (3222') (high knob 6.6 miles northeast of Minnehaha Springs, and 6.3 miles northeast of Huntersville).

Seebert (2050') (on Greenbrier River, 6.8 miles northeast of Green-

brier County line, 8.0 miles southwest of Marlinton).

Sevenmile Run (of Anthony Creek, 1.3 miles northeast of Greenbrier County line.

Sharp Hollow (of Moore Run of Knapp Creek, 8.2 miles northeast of Minnehaha Springs).

Sharp Knob (4535') (on Gauley Mountain, 2.0 miles west of Slaty Fork, near head of Props Run).

Sharp Run (of Stony Creek, 0.7 mile up, 1.3 miles north of Marlinton).

Shavers Fork (of Cheat River, 6.5 miles southwest of Durbin). Shavers Mountain (4445') (west side of Greenbrier River, at Randolph County line, northwestern corner of county, south to junction with Back Allegheny Mountain).

Shingleblock Run (of Saulsbury Run of Deer Creek, 4.9 miles

northeast of Arbovale).

Shock Run (of Sitlington Creek, 1.7 miles southeast of Dunmore).

Shumate Hollow (of Knapp Creek, 6.9 miles northeast of Minnehaha Springs).

Sideling Run (of Brush Lick Run of Greenbrier River, 2.3 miles northeast of Marlinton).

Simmons Run (of East Fork of Greenbrier River, 7.0 miles north-

east of Thornwood P. O.).

Sitlington (2363') (on Greenbrier River, at mouth of Sitlington Creek, 2.7 miles south of Cass).

Sitlington Creek (of Greenbrier River, 2.6 miles south of Cass). Slabcamp Branch (of Williams River, 1.1 miles west of Webster County line, 9.4 miles southwest of Slaty Fork).

Slabcamp Ridge (4050'+) (between Big Run and North Fork of

Gauley River, 4.5 miles west of Slaty Fork).

Slabcamp Run (of Little River of East Fork of Greenbrier River 3.2 miles south of Thornwood P. O.).

Slate Lick Knob (3350'+) (north of Knapp Creek, 1.6 miles north-

east of Frost, 10.8 miles northeast of Minnehaha Springs).

Slaty Fork (of Old Field Fork of Elk River, 11.3 miles west of Cass).

Slaty Fork (town) (2671') (on Elk River, at junction of Big Spring and Old Field Forks, 4.0 miles south of Randolph County line, 13.5 miles north of Marlinton).

Slaty Ridge (3750'-4415') (north of Slaty Fork of Elk River, 8.0

miles west of Cass).

Slavin Hollow (of Deer Creek, 1.4 miles west of Arbovale).

Smoke Camp Knob (4218') (on Fork Mountain, 1.8 miles east of Thornwood P. O.).

Snorting Lick Run (of West Fork of Greenbrier River, at Wildell, 12.0 miles north of Durbin).

Snyder Knob (4612') (Randolph County, 1.4 miles west of Hopkins).

South Fork (of Cherry River, 5.4 miles south of Webster-Greenbrier County corner, 4.0 miles northwest of Lobelia).

South Fork (of Gauley River, at Three Forks of Gauley, 6.0 miles

west of Slaty Fork).

South Fork Mountain (4050'+) (on Randolph-Pocahontas County line, 1.4 miles northeast of Webster-Randolph corner, 5.5 miles southwest of Slaty Fork).

Span Oak Run (of Little River of West Fork of Greenbrier River, 6.3 miles northeast of Durbin).

Spencer School (3900'±) (on Frank Mountain, 1.9 miles north of Top of Allegheny, 3.8 miles southeast of Bartow).

Spice (3050'±) (on Droop Mountain, 2.6 miles west of Mill Run). Spice Run (of Knapp Creek, 1.7 miles southeast of Marlinton). Spice Run (of Greenbrier River, southern boundary of county for

4 miles, east of Greenbrier River).

Spice Run (Locust P. O.), (1987') 0.5 mile north of Greenbrier County line, on Greenbrier River, 14.5 miles southwest of Marlinton). Spruce (3853') (on Shavers Fork of Cheat River, 5.0 miles north-

west of Cass).

Spruce Flats (3475'±) (3.0 miles west of Marlinton).

Spruce Flats School (3475±') (on Spruce Flats, 3.0 miles west of Marlinton).

Spruce Knob (4710') (7.7 miles northwest of Marlinton, 6.6 miles south of Slaty Fork).

Spruce Lick Hollow (of Knapp Creek, 2.4 miles northeast of Minnehaha Springs).

Spruce Mountain (4335') (north of Hills Creek, 3.0 miles northwest of Lobelia).

Spruce Ridge (3820') (south of Buffalo Fork of Little River of East Fork of Greenbrier River, 2.3 miles southeast of Thornwood P. O.).

Spruce Run (of Hills Creek, 3.1 miles northwest of Lobelia).

Stamping Creek (of Greenbrier River, 0.7 mile north of Seebert). Stark School (3750'±) (on East Fork of Greenbrier River, 1 mile south of Blister Swamp, 12.1 miles northeast of Durbin).

State Forest Game and Fish Reserve (south of Sitlington, on

Thomas, Michael, and Thorny Creek Mountains).

Staunton and Parkersburg Pike (from Huttonsville, Randolph County, southeast to Cheat Bridge, Durbin, and Top of Allegheny).

Stevens Hole Run (of Greenbrier River, 1 mile southwest of

Watoga).

Stillhouse Run (of Greenbrier River, 0.6 mile south of mouth of Knapp Creek, 1 mile south of Marlinton).

Stillwell (2126') (on Greenbrier River and Stillhouse Run, 1.0 mile

south of Marlinton).

Stony Bottom (2329') (on Greenbrier River, 3.5 miles southwest of Cass).

Stony Creek (of Greenbrier River, 1 mile north of Marlinton).

Stony Creek Mountain (3500'+) (1.3 miles west of Marlinton, west of Stony Creek).

Stony Run (of Sitlington Creek, 3.7 miles east of Dunmore).

Straight Creek (of Gauley River, 1 mile northwest of Webster-Randolph-Pocahontas County corner, 8.7 miles west of Slaty Fork).

Straight Creek Mountain (3800'+) (south of Gauley River, at

Three Forks of Gauley).

Sugar Creek (of Williams River, 3.7 miles southeast of Webster

County line, 8.0 miles southwest of Slaty Fork).

Sugar Creek Mountain (4550'+) (south of Williams River, between Kins and Sugar Creeks, 3.0 miles southeast of Webster County line, 9 miles southwest of Slaty Fork).

Sugar Hall Run (of Anthony Creek, 1.6 miles northeast of Green-

brier County line, 4.0 miles southwest of Rimel).

Sugar Run (of Galfred Run of Sitlington Creek, 4.8 miles northeast of Dunmore).

Sugarcamp Run (of Knapp Creek, 0.8 mile west of Frost).

Sugartree Bench Mountain (4276') (on western Greenbrier-Pocahontas County line, 4.0 miles west of Lobelia).

Summit School (4354') (on Allegheny Mountain, at Virginia State

line, 8.0 miles northeast of Green Bank).

Sunday Lick Run (of Greenbrier River, 2.0 miles south of Marlinton).

Sunrise School (3107') (0.5 mile southwest of Spice, on Droop

Mountain).

Sunset School (2365'±) (on Knapp Creek, 3.1 miles northeast of Minnehaha Springs).

Sutton Run (of North Fork of Deer Creek, 3.8 miles east of Green

Bank).

Swago Creek (of Greenbrier River, at Buckeye, 3.5 miles southwest of Marlinton).

Swago Mountain (4430') (3.3 miles northwest of Buckeye).

Sweet Lick Run (of Laurel Run of Greenbrier River, 2.7 miles east of Clover Lick).

Tacker Fork (of North Fork of Deer Creek, 4.6 miles east of Green

Bank).

Tallman Ridge (3167') (west side of Greenbrier River, 1 mile north of Cass).

Tallow Knob (4035') (7.0 miles west of Cass).

Tamarack Ridge (4400'+) (on Allegheny Mountain, at Virginia State line, 7.0 miles northeast of Arbovale, 1.8 miles east of Top of Allegheny).

Tea Creek (of Williams River, 3.2 miles southeast of Webster County line, 8.0 miles southwest of Slaty Fork).

Tea Creek Mountain (4650'+) (2.0 miles northwest of Spruce

Knob, 5.7 miles southwest of Slaty Fork).

The Burning (south of Burning Run of East Fork of Greenbrier River, 5.5 miles northeast of Thornwood P. O.).

The Dock (2718') (on head of North Fork of Anthony Creek, 5.0

miles southwest of Minnehaha Springs).

The Horse Ridge (3245') (north end of Browns Mountain, 5.0 miles northeast of Minnehaha Springs).

The Pigs Ear (3850'+) (on East Fork of Greenbrier River, 8.0

miles northeast of Thornwood P. O.).

Thomas Creek (of Sitlington Creek, 1 mile east of Sitlington). Thomas Mountain (3362') (west of Thomas Creek, 2.0 miles northeast of Clover Lick).

Thornwood P. O. (Winterburn Station) (2871') (on East Fork of Greenbrier River, at mouth of Little River, 5.0 miles east of Durbin).

Thorny Branch (of Sitlington Creek, 1.9 miles southeast of Dunmore).

Thorny Creek (of Greenbrier River, 3.6 miles northeast of Marlinton).

Thorny Creek (town) (2175') (on Greenbrier River, 3.7 miles

northeast of Marlinton).

Thorny Creek Mountain (3458') (between Thorny Creek and Greenbrier River 7 to 11 miles northeast of Marlinton).

Thorny Creek School (2647') (on Thorny Creek, 3.0 miles east of

Big Run, and 2.0 miles northeast of Dilleys Mill).

Thorny Flat (4839') (junction of Cheat and Back Allegheny Mountains, 4.0 miles west of Cass).

Three Forks of Gauley (2858') (0.1 mile west of Webster-Randolph County line, 1.6 miles north of Webster-Randolph-Pocahontas County corner, 6.0 miles west of Slaty Fork).

Three Forks of Williams (2354') (in Webster County, 1.4 miles west of Pocahontas County line, 14.5 miles southwest of Slaty Fork).

Tilda Fork (of Stamping Creek, 2.7 miles from mouth, and 1.5 miles northwest of Mill Point).

Toolbox Hollow (of Big Run of Buffalo Fork of Little River of East Fork of Greenbrier River, 3.4 miles southeast of Thornwood P. O.).

Top of Allegheny (4199') (on Buffalo Ridge of Allegheny Mountain, 5.5 miles northeast of Arbovale).

Trainer (2240'±) (in Greenbrier County, on Anthony Creek, 2.0 miles southwest of Pocahontas County line, 7.4 miles southwest of

Trainer School (2345') (on Anthony Creek, 0.4 mile north of Greenbrier County line, 5.0 miles southwest of Rimel).

Trimble Run (of Duncan Run of Deer Creek, 1.6 miles northeast

of Arbovale).

Trinity Church (2300'±) (on Stamping Creek 1.3 miles northwest of Mill Point).

Trout Run (of Greenbrier River, 4.9 miles northeast of Cass).

Trump Run (of Locust Creek of Greenbrier River, mouth at Lo-

Tumbling Rock Run (of Cranberry River, 1.2 miles northeast of Tebster County line, 14 miles northwest of Marlinton).

Turkey Mountain (4300'+) (at Webster-Randolph-Pocahontas unty line, 6.7 miles southwest of Slaty Fork).

Twin Branches (2509') (on Williams River, 3.1 miles northeast of ree Forks of Williams, in Webster County)

Tea Creek (of Williams River, 3.2 miles southeast of Webster County fine, S. Mountain (4650'+) (2.0 miles northwest of Spruce Knob, 5.7 miles southwest of Slaty Fork).

The Burning (south of Burning Run of East Fork of Greenbrier

River, 5.5 miles northeast of Thornwood P. O.). The Dock (2718') (on head of North Fork of Anthony Creek, 5.6

miles southwest of Minnehaha Springs). The Horse Ridge (3245') (north end of Browns Mountain, 5.0 miles

northeast of Minnehaha Springs). The Pigs Ear (3850'+) (on East Fork of Greenbrier River, 8.0

miles northeast of Thornwood P. O.).

Thomas Creek (of Sitlington Creek, 1 mile east of Sitlington). Thomas Mountain (3362') (west of Thomas Creek, 2.0 miles north-

Thornwood P. O. (Winterburn Station) (2871') (on East Fork of east of Clover Lick). Greenbrier River, at mouth of Little River, 5.0 miles east of Durbin). Thorny Branch (of Sitlington Creek, 1.9 miles southeast of Dun-

Thorny Creek (of Greenbrier River, 3.6 miles northeast of Mar-

Thorny Creek (town) (2175') (on Greenbrier River, 3.7 miles linton).

Thorny Creek Mountain (3458') (between Thorny Creek and northeast of Marlinton). Greenbrier River 7 to 11 miles northeast of Marlinton).

Thorny Creek School (2647') (on Thorny Creek, 3.0 miles east of Big Run, and 2.0 miles northeast of Dilleys Mill).

Thorny Flat (4839') (junction of Cheat and Back Allegheny

Mountains, 4.0 miles west of Cass). Three Forks of Gauley (2858') (0.1 mile west of Webster-Randolph County line, 1.6 miles north of Webster-Randolph-Pocahontas County corner, 6.0 miles west of Slaty Fork).

Three Forks of Williams (2354') (in Webster County, 1.4 miles west of Pocahontas County line, 14.5 miles southwest of Slaty Fork). Tilda Fork (of Stamping Creek, 2.7 miles from mouth, and 1.5

miles northwest of Mill Point). Toolbox Hollow (of Big Run of Buffalo Fork of Little River of East Fork of Greenbrier River, 3.4 miles southeast of Thornwood

Top of Allegheny (4199') (on Buffalo Ridge of Allegheny Moun-P. O.). tain, 5.5 miles northeast of Arbovale).

Trainer (2240'±) (in Greenbrier County, on Anthony Creek, 2.0 miles southwest of Pocahontas County line, 7.4 miles southwest of Rimel).

Trainer School (2345') (on Anthony Creek, 0.4 mile north of

Greenbrier County line, 5.0 miles southwest of Rimel).

Trimble Run (of Duncan Run of Deer Creek, 1.6 miles northeast of Arbovale).

Trinity Church (2300'±) (on Stamping Creek 1.3 miles northwest of Mill Point).

Trout Run (of Greenbrier River, 4.9 miles northeast of Cass). Trump Run (of Locust Creek of Greenbrier River, mouth at Locust).

Tumbling Rock Run (of Cranberry River, 1.2 miles northeast of

Webster County line, 14 miles northwest of Marlinton).

Turkey Mountain (4300'+) (at Webster-Randolph-Pocahontas County line, 6.7 miles southwest of Slaty Fork),

Twin Branches (2509') (on Williams River, 3.1 miles northeast of Three Forks of Williams, in Webster County),

Two Lick Run (of Cochran Creek, 1.8 miles southwest of Rimel). Tygart River (7.3 miles northwest of Cass, near Mace).

Upper Mingo (2691') (in Randolph County, on Tygart River, 2.8 miles northwest of Mace).

Upper Mountain (3100'+) (east of Moore Run of Sitlington Creek, 1.8 miles northeast of Dunmore).

Valley Draft (of Knapp Creek, 6.7 miles northeast of Minnehaha Springs).

Valley Mountain (3845') (north of head of Dry Fork of Elk River, 2.0 miles west of Mace).

Viney Mountain (3736') (between Millstone and Bruffey Creeks, 2.5 miles northeast of Lobelia).

Violet (2084') (on Greenbrier River, 0.9 mile northeast of Watoga). Walderman Run (of Poca Run of East Fork of Greenbrier River,

3.5 miles northeast of Thornwood P. O.).

Wanless (2988') (on Wanless Run of Greenbrier River, 3.0 miles north of Cass).

Wanless Run (of Greenbrier River, 3.5 miles northeast of Cass). Wanless Station (2511'-) (on Greenbrier River, at mouth of Wanless Run, 3.5 miles northeast of Cass).

Ward Knob (4507') (in Randolph County, 6.5 miles west of Nottingham P. O.).

Warwick (2603') (on Indian Draft of Stony Creek, 4.3 miles northeast of Marlinton).

Watering Pond Knob (4587') (on Allegheny Mountain, 7.2 miles northeast of Green Bank).

Watoga (2080') (on Greenbrier River, 2.0 miles northeast of Seebert).

Watoga State Park (south of Watoga, on east side of Greenbrier River, on Chicken House and Island Lick Runs, east of Pyle Moun-

Wesley Chapel (2763') (on Sitlington Creek, 3.6 miles northeast of Dunmore).

West Droop School (3061') (2.8 miles south of Spice and 3.3 miles west of Beard, on Droop Mountain).

West Fork (of Greenbrier River), (at Durbin, north to Randolph County line).

West Union Church (2650'±) (on Stony Creek, 3.8 miles up, 4.0 miles northwest of Marlinton).

West Union School (2675'±) (on branch of Stony Creek, 3.6 miles northwest of Marlinton).

Westminster Church (2375'±) (on Knapp Creek, 3.7 miles northeast of Minnehaha Springs).

White Church (3216') (on Laurel Creek of Williams River, 5.7 miles northwest of Marlinton).

White Rocks (3662') (on Beaver Lick Mountain, 7.0 miles east of Seebert).

Widemouth Run (of Cochran Creek, 2.1 miles southwest of Rimel). Wildcat Hollow (of Knapp Creek, 5.8 miles northeast of Minnehaha Springs).

Wildcat Run (of Anthony Creek, 0.5 mile north of Greenbrier County line).

Wildell (3056') (on West Fork of Greenbrier River, 12.0 miles north of Durbin).

Williams River (crosses county line 1.6 miles southwest of Webster-Randolph-Pocahontas County corner, southwestern part of county, at County Line Branch, 8.4 miles southwest of Slaty Fork).

Winterburn Station (Thornwood P. O.) (2871') (on East Fork of

Management Stronger (1988) or other Management of Michigan and Alexander (1988) or other Management Stronger (1988) or other Management of Michigan (1988) or other Michiga

Principles Services (State of the State of Service State Sta

POCAHONTAS COUNTY

LOCATION

-1-

The grographical position of our county is defined from 37 degrees 40 minutes to 38 degrees 45 minutes north Letitude; from 79 degrees 35 minutes, to 80 degrees 24 minutes West Longitude.

Pocahontas is an eastern border county, Allegheny top being the line between pocahontas and Virginia. From the venter of West Virginia, Pocahontas County is located to the southeast. Among the distinctive features of the north portion of this county is the fact of its being a part of the high region where nearly every river system of the Virginia's find their heads prings; The entire county has a great elevation, some of the highest peaks in the state being within its limits. (From Historical Markers of Pocahontas County - State Library.)

LOCATION

Pocahontes is an eastern border county. Pocahontas County, in the Appalachian Highlands was formed in 1821 from parts of Bath, Pendleton and Randolph Counties.

(Virginia) and named for Pocahontas, the Indian princess. Pocahontas County is bordered on the south by Greenbrier County and on the west by Nicholas and Fayette and on the north by Webster County. (Blue Book, 1938)

1/ AREA

The area of Pocahontas County is 942.61 square miles. 942.61 x 640 -- 603,270.4 Pocahontas County is the third largest.

TYPE OF LAND

The County has been called the birthplace of rivers. The source of Chest River flows from the northern part of Pocahontas County also the same applies to the Elk, except that its source is from the western part of the county. The source of Gauley River is also from the western part. The Greenbrier River's source is from the northern part of Pocahontas County. The source of the Tygart River is from the northern part of Pocahontas County. The Williams, Cranberry and Cherry, the

other sentioned rivers have their rise in this county and all flow to the west-

East Pocahontas is mountainous and in former years heavily timbered with white pine and much other valuable timber, and abounds in iron ores. Central pocahontas consists largely of limestone lands.

Throught the county there is such an abundance of purest, freshest waters as baggers all ordinary powers of description. Literally it is a lend of springs and mountains, beyond the dreams of poetic diction to portray realistically.

Some of the streams gushing from the earth, even in midsummer show undimished volume, and with a temperature but little above that of iced water. The entire county is seemingly underlaid with vast reservoirs, whose dimensions puzzle imangination, for from the level land as well as from the mountain sides pour forth great springs, many of them with volume sufficient to propel water mills. Larger streams thus starting from a hillside sometimes diappear only to appear elsewhere from some unexpected opening in the earth. Of this it is believed that Locust Creek furnishes a notable example in the relation to Hills Creek. (W.Va. Atlas)

SOIL

The soil of Pocahontas County is likewise diversified. In some sections the land is thin and in others rugged; but the greater portion is exceedingly fertile, and there cannot be found in this state, or any other state, a locality better adapted to grazing and farming. - (From a Reminiscent History of Northern W. Va.)

TOPOGRAPHY

The county is very mountainous and has a number of mountain peaks reaching 4,500 feet in height, emong which may be named Bald Knob, Nace Enob, Gibson Knob, Spruce Knob of Elk, Spruce Knob of Williams River, Barlow Top and Briery Anob.

The Droop Mountain Battlefield, in this county, is the site of the most extensive NOV.

Civil War battle fought in the state, which occurred On Nover 6, 1863. It was acquired by the State in 1929, and is now a Battlefield Park. (W.Va. Standard Atlas).

CLIMATE - BLUE BOOK 1938

AVERAGE TEMPERATURE ANNUAL

STATION	COUNTY - LENGTH OF RECORD (YRS)		TEMPERATURE	
Marlinton	Pocahontas	39 years		48.1 deg.

The average Maximum temperature (annual) is 59.5. The average minimum temperature is 36.4.

The average rainfall 47.26 (forty-seven inches and 26 hundredths. The average number of days .01 inch or more - 121. The average annual Snowfall is 31 in. 6/10 tenths.

HISTORIC MARKERS

· From the standpoint of climate, Pocahontas is subject to severe winters and ideal summers. The rainfall averages 47 inches.

Magisterial Districts (4) as follows: Edray, Greenbank, Huntersville,

Incorporated Cities, Towns and Villages:

NAME	POPULATION
Cass, W. Va.	708
Durbin, W. Va.	498
Hillsboro, W. Va.	220
Marlinton, W. Va.	1,586

The history of emigration or migration - Historic Markers, State Library.

County Seat - Marlinton, West Virginia.

First established in 1749 and known as Marlin's Bottom until 1887. Incorporated in 1900. Named for Jacob Marlin, one of the first white settlers to spend a winter in Pocahomtas County, the other being Stephen Sewell, Edray, West Virginia. Named after a town in ancient Pelestine, meaning a place surrounded. Settled prior to Revolutionary War by Thomas Drinnon. Famous capping place of Indians who broke up the Drinnon home, murdered his wife and carried his son away in captivity beyond the Chic River. A stopping place mentioned by Bishop Francis Asbury in his Journey from Vaine to Georgia.

AGRICULTURE

A surbey of the agricultural statistics of Pocahontas County reveals that in

1930, there were 1,614 people engaged in farming on 1,201 farms. In 1930 there were 230,824 acres of land in farms in Focahontas County, which produced crops valued at \$832,283. The value of dairy products were \$44,738, and the value of livestock was estimated at \$1,377,497. (The above was taken from Rand McNally World Atlas, 1939).

subsistence until a comparatively recent period in the history of our county. As 1610 late as 1928, the fact that corn would ripen at Marlin's Bottom enough to be fit for meal was nearly a year's wonder. Gardens for onions, parsnips, cucumbers, pumpkins, and turnips; patches of buckwheat, corn, beans, and potatoes, for many years comprised the most of pioneer farming enterprise in the way of supplementing their supplies of game and fish. The implements used for clearing and cultivating these gardens and tuck patches were of home manufacture, and for the most part rudely constructed.

(These bove was taken from The Historical Merkers, State Library, State House.)

According to the Blue Book - 1938, the chief products and leading industries
of Pocahontas County were as follows: The leading industry of Pocahontas County is
lumber, tannery (sole leather). The chief products are: livestock, potatoes,
oats, maple sugar, honey, and poultry.

COMMERCE AND INDUSTRY

Very much of Pocahontas County was heavily timbered and as the variety and quality was equal to most and surpassed by no other country in the State, before the vast in-roads were made on these timber rewources in the last fifteen or twenty years.

Still there is an enormous supply yet remaining after all has been done by rafts, and loaded freight cars. For twenty years or more an interesting feature was or were the lumber camps here and there in the woods where hundreds of men were comfortably housed and fed on the fat of the land if various parts of the county, mainly east of the Greenbrier. On the higher elevations west of the Greenbrier and in the western

and northwestern part of the county are vast reaches of black spruce forests, now in such demand for wood pulp of which the paper is made of post cards, books, and newspapers. There remains much oak, cherry, poplar, chestnut and the more compon forest trees in marked profusion.

The entire county from end to end east of the Greenbrier abounds in iron ore indications, principally the brown humitite and the reddish possiliferous.

(Above from Historic Markers -

MIGRATION OF PROPLE

In reference to the ancestry of the people of Pocahontas County, it may be inferred that the citizenship is of a composite character, German, English, Irish, Scotch, and French.

Such names as there, Lightner, Herper, Yeager, Arbogast, Herold, Hatterman, Burr, Siple, Sheets, Casebolt, Shrader, Burner, Sydenstricker, Verner, Heverher, Ockley, Gumm, Overholt, indicate German descent, etc.

Indians: There are evidences that the Indians once roamed whrough the thick forests of what is now our beautiful section of country. Pieces of flint have been found by our citizens which were no doubt used by the Red Race. There was an Indian burial ground on a flat above the road a short distance up the valley from I. B. "oore's dwelling. Indications were to the older people that several Indians had been buried here. It has been said that a few relics were found in later years when some excavations were made.

CRANBERRY GLADES

An intriguing bit of back Country in the Old Mountains of West Virginia which recently has been included in the Monongahela National Forest:

"Granberry Glades," a strangely misplaced tract of artic tundra in the southern mountains. Here you will find a bewildering array of alders, shrubs, grasses and vines, a never-ending source of delight are the two thousand varieties of orchids, which bloom in colorful combinations contrast upon the metallic sheer of the

moss target covering the Glades,. West Virginia is the native home of more than sixteen hundred flowering plants.

Sugar.

(Above from Historic Markers - State Library.)

RELIGION

The first Prebyterian Church ever organized within the county was known as the Cak Grove Church in this district in 1793. For thirty-seven years it did not have a pastor, the only preaching being done by ministers who occasionally visited this section. It is believed that the first minister to be located here was Rev. John McCue.

In 1830 this church was organized by Rev. S. L. Graham, and at the time had but nine numbers, including for deacons, who were Josiah Beard, George Pooge, John Jordan, and S. D. Poage. Rev. Graham continued to be the pastor for 39 years, when he was succeeded by Rev. J. S. Blaine.

In 1833 Mt. Zion Church in "The Hells" was built. It is a log structure, but has been materially repaired and is still used for a house of worship. Previous to the erection of Mt. Vernon Church the people of Upper Knapps Greek attended services at Mt. Zion. Many of them went on horse back across the country by say of the Mill Run at I. B. Moore's.

Mt. Vernon Church was erected in 1856. A noticeable feature of this building is the good quality of the lumber used. Scarcely a defectivezem spot can be seen in the ceiling. John McElwee and son did the carpenter work. All the lumber was planned by hand at the shop on the land owned by Moses Moore who was a noted Christian character.

Trinity M. E. Church at Prost was dedicated in 1888. The opening prajer was offered by Rev. Wm. T. Price of Marlinton. The dedication sermon was preached by Rev. Neice, of Monroe County His text was taken from Galations the sixth chapter and second verse: Bear ye one another burderns and so fulfull the law of Carist. Rev. Seorge Spencer was the pastor in charge of the circuit. Other ministers preacht were Nm. and B. B. Sharp, both of Frost.

in nearby churches, and in school houses. neary white, Sr., and his family who came to Douthard's Greek in 1876. Before building the church they had occasional services by Lutheran pastors in their homes New Hope Lutheran Church at Minnehaha was built in 1893 through the efforts of

was pastor. In 1923 the first county convention to be held in Huntersville convened The Westminister Prebyterian Church was building in 1903 and Rev. G. W. Mickell

Mr. Carmel M. E. Church, South, was dedicated October 1, 1905. .

structure in this sect worshipped for many years was later built southeast of Hillsof the church were lost and no one remembers when it was built. A substantial brick boro, where the cemetery is still kept up. In 1830 the Church was reorganized. Oak Grove Presbyterian Church was organized in the year 1793. The sarly records
